ELSEVIER

Neuroscience Letters 379 (2005) 235–237

Neuroscience Letters

www.elsevier.com/locate/neulet

# Author Index to Volume 379

Abdalla, C.B., see dos Santos, J.M., 13
Ahn, D.K., see Oh, M.S., 205
Aiso, S., see Nakahara, J., 116
Akizuki, H., Uno, A., Arai, K., Morioka, S., Ohyama, S., Nishiike, S., Tamura, K., Takeda, N., Effects of immersion in virtual reality on postural control, 23
Alcalá, M.M., Maderuelo, A., Vivas, N.M., Camps, P., Muñoz-Torrero, D., Clos, M.V., Badia, A., Effects of (±)-huprine Y and (±)-huprine Z, two new anticholinesterasic drugs, on muscarinic receptors, 106
Alejandre-Gómez, M., see González-Burgos, I., 52
Alku, P., see Kujala, T., 127
Antunes-Rodrigues, J., see Ventura, R.R., 75
Arai, K., see Akizuki, H., 23
Argiolas, A., see Melis, M.R., 59
Asada, T., see Tamura, Y., 149
Ashley-Koch, A.E., Shao, Y., Rimmler, J.B., Gaskell, P.C., Welsh-Bohmer, K.A., Jackson, C.E., Scott, W.K., Haines, J.L., Pericak-Vance, M.A., An autosomal genomic screen for dementia in an extended Amish family, 199
Asou, H., see Nakahara, J., 116

Back, S.K., see Kim, J., 218
Badia, A., see Alcalá, M.M., 106
Bae, H., see Oh, M.S., 205
Bagri, A., Sandner, G., Di Scala, G., Aversive effects elicited by electrical stimulation of the inferior colliculus in normal and audiogenic seizure susceptible rats, 180
Bearden, C.E., see Najt, P., 122
Beckman, J.S., see Ermilova, I.P., 42
Belly, A., Moreau-Gachelin, F., Sadoul, R., Goldberg, Y., Delocalization of the multifunctional RNA splicing factor TLS/FUS in hippocampal neurones: exclusion from the nucleus and accumulation in dendritic granules and spine heads, 152
Besle, J., see Fort, A., 144
Botz, E., see Klopstock, T., 195
Bowden, C., see Najt, P., 122
Bowman, E.M., see Groves, D.A., 174
Brown, V.J., see Groves, D.A., 174
Byrd, C.A., see Fuller, C.L., 190

Campos Jr., M., see dos Santos, J.M., 13
Camps, P., see Alcalá, M.M., 106
Cervantes, M., see González-Burgos, I., 52
Chang, S.-L., Tsai, C.-C., Lin, J.-G., Hsieh, C.-L., Lin, R.-T., Cheng, J.-T., Involvement of serotonin in the hypoglycemic response to 2 Hz electroacupuncture of zusanli acupoint (ST36) in rats, 69
Chen, Q., see Duan, S., 32
Cheng, J.-T. see Chang, S.-L., 69
Citrome, L., see Müller, D.J., 81
Clos, M.V., see Alcalá, M.M., 106
Coimbra, N.C., see Miyase, C.I., 169
Czobor, P., see Müller, D.J., 81

de Freitas, R.L., see Miyase, C.I., 169
De Luca, V., see Müller, D.J., 81
Dean, B., see Matsumoto, I., 164
DeKosky, S.T., see Desai, P., 229
Desai, P., Nebes, R., DeKosky, S.T., Kamboh, M.I., Investigation of the effect of brain-derived neurotrophic factor (BDNF) polymorphisms on the risk of late-onset Alzheimer's disease (AD) and quantitative measures of AD progression, 229
Dezawa, M., see Watanabe, Y., 158
Di Scala, G., see Bagri, A., 180
dos Santos, J.M., Abdalla, C.B., Campos Jr., M., Santos-Rebouças, C.B., Pimentel, M.M.G., The A140V mutation in the *MECP2* gene is not a common etiological factor among Brazilian mentally retarded males, 13
Du, J., see Duan, S., 32
Du, L., see Wang, X., 132
Duan, S., Gao, R., Xing, Q., Du, J., Liu, Z., Chen, Q., Wang, H., Feng, G., He, L., A family-based association study of schizophrenia with polymorphisms at three candidate genes, 32

Elias, L.L.K., see Ventura, R.R., 75
Elstner, M., see Klopstock, T., 195
Endo, H., see Harada, N., 223
Ermilov, V.B., see Ermilova, I.P., 42
Ermilova, I.P., Ermilov, V.B., Levy, M., Ho, E., Pereira, C., Beckman, J.S., Protection by dietary zinc in ALS mutant G93A SOD transgenic mice, 42

Feng, G., see Duan, S., 32
Ferriero, D.M., see Hamrick, S.E.G., 96
Fort, A., Besle, J., Giard, M.-H., Pernier, J., Task-dependent activation latency in human visual extrastriate cortex, 144
Fredrikson, M., see Granqvist, P., 1
Fuller, C.L., Byrd, C.A., Ruffed cells identified in the adult zebrafish olfactory bulb, 190

Gallace, A., Spence, C., Visual capture of apparent limb position influences tactile temporal order judgments, 63
Gao, R., see Duan, S., 32
García-Alcocer, G., Sarabia-Altamirano, G., Martínez-Torres, A., Miledi, R., Developmental expression of 5-$HT_{5A}$ receptor mRNA in the rat brain, 101
Gaskell, P.C., see Ashley-Koch, A.E., 199
Gasser, T., see Klopstock, T., 195
Giard, M.-H., see Fort, A., 144
Giusti-Paiva, A., see Ventura, R.R., 75
Glahn, D., see Najt, P., 122
Goldberg, Y., see Belly, A., 152
Gomes, D.A., see Ventura, R.R., 75
González-Burgos, I., Alejandre-Gómez, M., Cervantes, M., Spine-type densities of hippocampal CA1 neurons vary in proestrus and estrus rats, 52

doi:10.1016/S0304-3940(05)00413-1

Gotoh, M., see Nakahara, J., 116
Granqvist, P., Fredrikson, M., Unge, P., Hagenfeldt, A., Valind, S., Larhammar, D., Larsson, M., Sensed presence and mystical experiences are predicted by suggestibility, not by the application of transcranial weak complex magnetic fields, 1
Groves, D.A., Bowman, E.M., Brown, V.J., Recordings from the rat locus coeruleus during acute vagal nerve stimulation in the anaesthetised rat, 174

Hachiya, N.S., see Tamura, Y., 149
Hagenfeldt, A., see Granqvist, P., 1
Haines, J.L., see Ashley-Koch, A.E., 199
Hamrick, S.E.G., McQuillen, P.S., Jiang, X., Mu, D., Madan, A., Ferriero, D.M., A role for hypoxia-inducible factor-1α in desferoxamine neuroprotection, 96
Han, H., see Zhang, Q., 90
Harada, N., Masuda, T., Endo, H., Nakamura, Y., Takeda, T., Tonoike, M., The effect of *1/f* fluctuation in inter-stimulus intervals on auditory evoked mismatch field, 223
Hatch, J.P., see Najt, P., 122
Hayasaka, S., see Ichsan, A.M., 138
Hayashi, K., see Toyomoto, M., 185
He, L., see Duan, S., 32
Hiraga, K., see Ichsan, A.M., 138
Hirai, N., see Nishida, M., 110
Hirukawa, K., see Ishizuka, K., 47
Ho, E., see Ermilova, I.P., 42
Hohjoh, H., see Tamura, Y., 149
Honer, W.G., see Müller, D.J., 81
Hong, S.K., see Kim, J., 218
Hörtnagel, K., see Klopstock, T., 195
Hsieh, C.-L., see Chang, S.-L., 69
Huh, Y., see Oh, M.S., 205
Huotilainen, M., see Kujala, T., 127

Ichsan, A.M., Kato, I., Yoshida, T., Takasawa, K., Hayasaka, S., Hiraga, K., Rhodopsin promoter-EGFP fusion transgene expression in photoreceptor neurons of retina and pineal complex in mice, 138
Ide, C., see Watanabe, Y., 158
Ikeda, K., see Toyomoto, M., 185
Inoue, S., see Toyomoto, M., 185
Inoue, Y., see Matsumoto, I., 164
Ishizuka, K., Hirukawa, K., Nakamura, H., Togari, A., Inhibitory effect of CGRP on osteoclast formation by mouse bone marrow cells treated with isoproterenol, 47
Itokazu, Y., see Watanabe, Y., 158
Iwazaki, T., see Matsumoto, I., 164

Jackson, C.E., see Ashley-Koch, A.E., 199
Järvinen, A., see Kujala, T., 127
Jiang, X., see Hamrick, S.E.G., 96
Jones, T.L., see Svensson, C.I., 209
Ju, G., see Zhang, Q., 90

Kamboh, M.I., see Desai, P., 229
Kaneko, K., see Tamura, Y., 149
Kato, I., see Ichsan, A.M., 138
Kato, S., see Nishida, M., 110
Kaur, S., see Najt, P., 122
Kawai, K., see Nishida, M., 110
Kennedy, J.L., see Müller, D.J., 81
Kim, J., Back, S.K., Yoon, Y.W., Hong, S.K., Na, H.S., Dorsal column lesion reduces mechanical allodynia in the induction, but not the maintenance, phase in spinal hemisected rats, 218
Kimura, H., see Tamura, Y., 149
Kishi, R., see Miyase, C.I., 169
Kishida, H., see Tamura, Y., 149
Kishihara, K., see Nakahara, J., 116
Klempan, T.A., see Müller, D.J., 81
Klopstock, T., Elstner, M., Lücking, C.B., Müller-Myhsok, B., Gasser, T., Botz, E., Lichtner, P., Hörtnagel, K., Mutations in the pantothenate kinase gene *PANK2* are not associated with Parkinson disease, 195
Kujala, T., Palva, M.J., Salonen, O., Alku, P., Huotilainen, M., Järvinen, A., Näätänen, R., The role of blind humans' visual cortex in auditory change detection, 127
Kuno, S., see Toyomoto, M., 185

Lang, B., see Zhang, Q., 90
Larhammar, D., see Granqvist, P., 1
Larsson, M., see Granqvist, P., 1
Lei, F., see Wang, X., 132
Levy, M., see Ermilova, I.P., 42
Li, J., see Wang, J.-L., 27
Lichtner, P., see Klopstock, T., 195
Lieberman, J.A., see Müller, D.J., 81
Lin, J.-G., see Chang, S.-L., 69
Lin, R.-T., see Chang, S.-L., 69
Lindenmayer, J.-P., see Müller, D.J., 81
Liu, H., see Zhang, Q., 90
Liu, Y., Zhang, G.-Y., Yan, J.-Z., Xu, T.-L., Suppression of Pyk2 attenuated the increased tyrosine phosphorylation of NMDA receptor subunit 2A after brain ischemia in rat hippocampus, 55
Liu, Z., see Duan, S., 32
Lücking, C.B., see Klopstock, T., 195

Madan, A., see Hamrick, S.E.G., 96
Maderuelo, A., see Alcalá, M.M., 106
Maehara, T., see Nishida, M., 110
Martínez-Torres, A., see García-Alcocer, G., 101
Maruta, S., see Yokoyama, M., 37
Mascia, M.S., see Melis, M.R., 59
Masuda, T., see Harada, N., 223
Matsumoto, I., Inoue, Y., Iwazaki, T., Pavey, G., Dean, B., 5-$HT_{2A}$ and muscarinic receptors in schizophrenia: a postmortem study, 164
Matsumoto, N., see Watanabe, Y., 158
McEvoy, J.P., see Müller, D.J., 81
McQuillen, P.S., see Hamrick, S.E.G., 96
Melis, M.R., Succu, S., Mascia, M.S., Argiolas, A., PD-168077, a selective dopamine $D_4$ receptor agonist, induces penile erection when injected into the paraventricular nucleus of male rats, 59
Miledi, R., see García-Alcocer, G., 101
Miwakeichi, F., see Nishida, M., 110
Miyaoka, H., see Yokoyama, M., 37
Miyase, C.I., Kishi, R., de Freitas, R.L., Paz, D.A., Coimbra, N.C., Involvement of pre- and post-synaptic serotonergic receptors of dorsal raphe nucleus neural network in the control of the sweet-substance-induced analgesia in adult *Rattus norvegicus* (Rodentia, Muridae), 169
Monkul, E.S., see Najt, P., 122
Moreau-Gachelin, F., see Belly, A., 152
Morioka, S., see Akizuki, H., 23
Mu, D., see Hamrick, S.E.G., 96
Müller, D.J., Klempan, T.A., De Luca, V., Sicard, T., Volavka, J., Czobor, P., Sheitman, B.B., Lindenmayer, J.-P., Citrome, L., McEvoy, J.P., Lieberman, J.A., Honer, W.G., Kennedy, J.L., The SNAP-25 gene may be associated with clinical response and weight gain in antipsychotic treatment of schizophrenia, 81
Müller-Myhsok, B., see Klopstock, T., 195
Muñoz-Torrero, D., see Alcalá, M.M., 106

Na, H.S., see Kim, J., 218
Näätänen, R., see Kujala, T., 127
Najt, P., Glahn, D., Bearden, C.E., Hatch, J.P., Monkul, E.S., Kaur, S., Villarreal, V., Bowden, C., Soares, J.C., Attention deficits in bipolar disorder: a comparison based on the Continuous Performance Test, 122
Nakahara, J., Seiwa, C., Tan-Takeuchi, K., Gotoh, M., Kishihara, K., Ogawa, M., Asou, H., Aiso, S., Involvement of CD45 in central nervous system myelination, 116

Nakamura, H., see Ishizuka, K., 47
Nakamura, Y., see Harada, N., 223
Nebes, R., see Desai, P., 229
Nishida, M., Uchida, S., Hirai, N., Miwakeichi, F., Maehara, T., Kawai, K., Shimizu, H., Kato, S., High frequency activities in the human orbitofrontal cortex in sleep–wake cycle, 110
Nishiike, S., see Akizuki, H., 23

Ogawa, M., see Nakahara, J., 116
Oh, M.S., Huh, Y., Bae, H., Ahn, D.K., Park, S.K., The multi-herbal formula Guibi-tang enhances memory and increases cell proliferation in the rat hippocampus, 205
Ohta, K., see Toyomoto, M., 185
Ohta, M., see Toyomoto, M., 185
Ohyama, S., see Akizuki, H., 23
Omi, K., see Tamura, Y., 149

Palva, M.J., see Kujala, T., 127
Pan, B.-X., see Wang, J.-L., 27
Park, S.K., see Oh, M.S., 205
Pavey, G., see Matsumoto, I., 164
Paz, D.A., see Miyase, C.I., 169
Pereira, C., see Ermilova, I.P., 42
Pericak-Vance, M.A., see Ashley-Koch, A.E., 199
Pernier, J., see Fort, A., 144
Pimentel, M.M.G., see dos Santos, J.M., 13
Powell, H., see Svensson, C.I., 209

Qiao, H., see Yang, S., 7
Qin, H., see Zhang, Q., 90

Rimmler, J.B., see Ashley-Koch, A.E., 199
Rosiak, J., Zawilska, J.B., Near-ultraviolet light perceived by the retina generates the signal suppressing melatonin synthesis in the chick pineal gland—an involvement of NMDA glutamate receptors, 214

Sadoul, R., see Belly, A., 152
Sakasegawa, Y., see Tamura, Y., 149
Salonen, O., see Kujala, T., 127
Sandner, G., see Bagri, A., 180
Santos-Rebouças, C.B., see dos Santos, J.M., 13
Sarabia-Altamirano, G., see García-Alcocer, G., 101
Sato, T., see Yokoyama, M., 37
Schäfers, M., see Svensson, C.I., 209
Scott, W.K., see Ashley-Koch, A.E., 199
Seiwa, C., see Nakahara, J., 116
Shao, Y., see Ashley-Koch, A.E., 199
Sheitman, B.B., see Müller, D.J., 81
Shimizu, H., see Nishida, M., 110
Sicard, T., see Müller, D.J., 81
Soares, J.C., see Najt, P., 122
Sorkin, L.S., see Svensson, C.I., 209
Spence, C., see Gallace, A., 63
Su, H., see Wang, X., 132
Succu, S., see Melis, M.R., 59
Suzuki, E., see Yokoyama, M., 37
Svensson, C.I., Schäfers, M., Jones, T.L., Powell, H., Sorkin, L.S., Spinal blockade of TNF blocks spinal nerve ligation-induced increases in spinal P-p38, 209

Tainturier, M.-J., Tamminen, J., Thierry, G., Age of acquisition modulates the amplitude of the P300 component in spoken word recognition, 17
Takasawa, K., see Ichsan, A.M., 138
Takeda, N., see Akizuki, H., 23
Takeda, T., see Harada, N., 223
Tamminen, J., see Tainturier, M.-J., 17
Tamura, K., see Akizuki, H., 23
Tamura, Y., Sakasegawa, Y., Omi, K., Kishida, H., Asada, T., Kimura, H., Tokunaga, K., Hachiya, N.S., Kaneko, K., Hohjoh, H., Association study of the chemokine, CXC motif, ligand 1 (CXCL1) gene with sporadic Alzheimer's disease in a Japanese population, 149
Tan-Takeuchi, K., see Nakahara, J., 116
Thierry, G., see Tainturier, M.-J., 17
Togari, A., see Ishizuka, K., 47
Tokunaga, K., see Tamura, Y., 149
Tonoike, M., see Harada, N., 223
Toyomoto, M., Inoue, S., Ohta, K., Kuno, S., Ohta, M., Hayashi, K., Ikeda, K., Production of NGF, BDNF and GDNF in mouse astrocyte cultures is strongly enhanced by a cerebral vasodilator, ifenprodil, 185
Tsai, C.-C., see Chang, S.-L., 69

Uchida, S., see Nishida, M., 110
Unge, P., see Granqvist, P., 1
Uno, A., see Akizuki, H., 23

Valind, S., see Granqvist, P., 1
Ventura, R.R., Giusti-Paiva, A., Gomes, D.A., Elias, L.L.K., Antunes-Rodrigues, J., Neuronal nitric oxide synthase inhibition differentially affects oxytocin and vasopressin secretion in salt loaded rats, 75
Villarreal, V., see Najt, P., 122
Vivas, N.M., see Alcalá, M.M., 106
Volavka, J., see Müller, D.J., 81

Wang, H., see Duan, S., 32
Wang, J.-L., Wu, Z.-H., Pan, B.-X., Li, J., Adenosine A1 receptors modulate the discharge activities of inspiratory and biphasic expiratory neurons in the medial region of Nucleus Retrofacialis of neonatal rat in vitro, 27
Wang, W., see Wang, X., 132
Wang, X., Xing, D., Wang, W., Lei, F., Su, H., Du, L., The uptake and transport behavior of berberine in *Coptidis Rhizoma* extract through rat primary cultured cortical neurons, 132
Watanabe, S., see Yokoyama, M., 37
Watanabe, Y., Matsumoto, N., Dezawa, M., Itokazu, Y., Yoshihara, T., Ide, C., Conditioned medium of the primary culture of rat choroid plexus epithelial (modified ependymal) cells enhances neurite outgrowth and survival of hippocampal neurons, 158
Welsh-Bohmer, K.A., see Ashley-Koch, A.E., 199
Wen, L., see Yang, S., 7
Wu, Z.-H., see Wang, J.-L., 27

Xing, D., see Wang, X., 132
Xing, Q., see Duan, S., 32
Xu, T.-L., see Liu, Y., 55

Yan, J.-Z., see Liu, Y., 55
Yang, S., Qiao, H., Wen, L., Zhou, W., Zhang, Y., D-Serine enhances impaired long-term potentiation in CA1 subfield of hippocampal slices from aged senescence-accelerated mouse prone/8, 7
Yokoyama, M., Suzuki, E., Sato, T., Maruta, S., Watanabe, S., Miyaoka, H., Amygdalic levels of dopamine and serotonin rise upon exposure to conditioned fear stress without elevation of glutamate, 37
Yoon, Y.W., see Kim, J., 218
Yoshida, T., see Ichsan, A.M., 138
Yoshihara, T., see Watanabe, Y., 158

Zawilska, J.B., see Rosiak, J., 214
Zhang, G.-Y., see Liu, Y., 55
Zhang, Q., Qin, H., Lang, B., Liu, H., Han, H., Ju, G., Different regions of the mouse nestin enhancer may function differentially in nestin expression in an NSC-like cell line and astrocytes, 90
Zhang, Y., see Yang, S., 7
Zhou, W., see Yang, S., 7